

TekA Step Extra Heavy Duty Mobile Safety Steps **500kg Capacity -Extra Wide**

The TekA Step Industrial Extra Heavy Duty Warehouse Ladders are fully welded using sturdy 25mm steel tube and are finished in a painted finish making these steps both robust and attractive. The TekA Step mobile safety steps are Extra Heavy Duty and manufactured from heavy duty steel tube & components, these warehouse steps are sturdy and super stable, giving the user that extra confidence and peace of mind when working at height. The Steel Safety steps have a certified massive safe working load capacity of 500 Kg. A choice of 2 colours are available.

With a range of platform heights and number of treads from 3 to 19, the TekA Step Heavy Duty Mobile Safety Steps are the perfect solution for all construction, retail, commercial, office, warehouse and industrial applications.

A wide range of optional extras to match the warehouse steps with your requirements are available from the drop down boxes such as extra deep platforms, platform gates, bars and L&R chains. We recommend you add at least a 200mm platform extension when ordering any platform gate, bar or chain.

**We can offer a platform height modification if you require a size that is not available as standard on the dropdown list. Please use the dropdown to select the size slightly over your required size (eg. required size 2100mm choose 2286mm) and add the Platform Height Modification from Optional Extras dropdown then quote the size you require in the notes section on the payment page.

Standard Platform Size W x D: 762x400mm

All TekA Steps Are UK Manufactured.



TekA Step Extra Heavy Duty Extra Wide Mobile Safety Specifications

Code	Platform Height mm	Overall Dimensions (HxWxD) mm	No of Treads
TS3530/30	762	1712 x 965x 850	3
TS3540/40	1016	1966 x965x1000	4
TS3550/50	1270	2220 x 965 x 1180	5
TS3560/60	1524	2474 x 965 x 1300	6
TS3570/70	1778	2728 x 965x 1500	7
TS3580/80	2032	2982 x 965 x 1650	8
TS3590/90	2286	3236 x 1016 x 1850	9
TS35100/100	2540	3490 x 1092 x 2050	10
TS35110/110	2794	3744 x 1118x 2150	11
TS35120/120	3048	3998x 1168 x 2350	12
TS35130/130	3302	4252 x 1270 x 2500	13
TS35140/140	3556	4506 x 1295 x 2650	14
TS35150/150	3810	4760 x 1321 x 2800	15
TS35160/160	4064	5014 x 1346 x 3000	16
TS35170/170	4318	5268 x 1371 x 3150	17
TS35180/180	4572	5522 x 1396 x 3300	18
TS35190/190	4826	5776 x 1421 x 3450	19

All Welded steel construction

Punched metal treads

Handrails either side of steps and 950mm over platform

Kick plate as standard on 7 treads and over

Hand lever locking bar to mobilise unit

Rubber tyred wheels and nylon castors

Rubber covered feet

Step width 762mm

Step rise: 250mm

Standard Platform Size (without options) W x D: 762x400mm

Certified Load capacity: 500kg

Please Note: All Dimensions are approximate and shown in mm



PEGASUS MECHANICAL LIFTING

46 The Warren, East Goscote, Leicestershire, LE7 3XA

Tel: 0116 2537411 Fax: 0116 2539751

email: sales@pegasuslifting.co.uk web:www.pegasuslifting.co.uk



Development Member

LOAD TEST REPORT

This report does not authorise the equipment to be put into service. An EC Declaration of Thorough Examination May Be Required

Report Number	50279
Job Number	--
Customer Order Number	--
Next Test Date	16/09/2024

Report Prepared by	Mark Cluley
Date of Report	16/03/2023

Customer
INDUSTRIAL PRODUCTS

Test Location
Pegasus Mechanical Lifting 46 The Warren East Goscote Leicestershire LE7 3XA

Test Details

ID No.	DESCRIPTION OF ITEM	QTY	SWL	PROOF LOAD
TS 35-45-58-38	STEPS	1	500KG	500KG

Description Of The Tests Applied

500KG PROOF LOAD APPLIED USING 20KG HAND WEIGHTS

Results Of The Test Identifying Any Defect

TESTS COMPLETED SATISFACTORY WITH NO DEFECTS RECORDED.

Witnessed by Company Approved and Qualified Examiner

Mark Cluley

Authenticated by

S Platts